

Prepared to U.S. OSHA, CMA, ANSI, Canadian WHMIS, Australian WorkSafe, Japanese Standard JIS Z 7250:2000, and EU REACH Regulations

## 1. PRODUCT AND COMPANY IDENTIFICATION

**Product Name:**

### **CARTRIDGES – CENTERFIRE**

**CAS Number:**

Mixture – Metal Alloy

**Synonyms:**

Centerfire Rifle Brands: Super-X, Supreme, Varminator, Defender, Razorback, Match, USA Brand, Metric Calibers, Ranger, Power Max Bonded, Varmint X, XP3, Accubond CT, Ballistic Silvertip, E-Tip Lead Free, Safari, Power Core, Win 3 Gun, Deer Season XP, Extreme Point

Centerfire Rifle Bullet Names: Power-Point, Power Point Plus, Silvertip, Ballistic Silvertip, Accubond CT, Pointed Soft Point, Full Metal Jacket, Razorback, Positive Expanding Point, Match BTHP, PDX1, Partition, Partition Gold, Fail Safe, Power Max Bonded, Hollow Point Boattail, Polymer Tip, Protected Hollow Point, Split Core Hollow Point, XP3, Bonded Solid Base, Open Tip, Extreme Point.

Centerfire Rifle Calibers: 204 Ruger, 218 Bee, 22 Hornet, 220 Swift, 222 Remington, 22-250 Remington, 5.56mm, 223 Remington, 223 Winchester Super Short Magnum, 225 Winchester, 243 Winchester, 6mm Remington, 243 Winchester Super Short Magnum, 25 Winchester Super Short Magnum, 25-06 Remington, 250 Savage, 256 Winchester Magnum, 25-20 Winchester, 25-35 Winchester, 257 Roberts +P, 6.5 Creedmoor, 264 Winchester Magnum, 6.5x55mm Swedish, 270 Winchester, 270 Winchester Short Magnum, 280 Remington, 284 Winchester, 7mm-08 Remington, 7mm Winchester Short Magnum, 7mm Remington Magnum, 7mm Mauser, 7mm Shooting Times Westerner, 7.62x39mm, 30 Carbine, 30-30 Winchester, 30-06 Springfield, 30-40 Krag, 300 Holland & Holland Magnum, 300 Winchester Short Magnum, 300 Winchester Magnum, 300 Savage, 303 British, 307 Winchester, 308 Winchester, 7.62x51mm NATO, 7.62x54R, 32 Winchester Special, 32-20 Winchester, 32-40 Winchester, 8mm Mauser, 325 Winchester Short Magnum, 338 Winchester Magnum, 338 Lapua Magnum, 348 Winchester, 35 Remington, 356 Winchester, 357 Magnum, 358 Winchester, 375 Winchester, 375 Holland & Holland Magnum, 38-40 Winchester, 38-55 Winchester, 41 Remington Magnum, 416 Remington Magnum, 416 Rigby, 44 Remington Magnum, 44-40 Winchester, 45-70 Government, 458 Winchester Magnum.

Military Centerfire Pistol Bullet Names: XM1152, XM1153

Military Centerfire Rifle Bullet Names: Ball, Full Metal Jacket, Penetrator, Long Range Sniper, Bonded Solid Base, Open Tip, M193, M855, M855A1, M80, M80A1, M33.

Military Centerfire Rifle Calibers: 5.56mm, 5.56x45mm, 7.62mm NATO, 7.62x51mm, 50 Caliber, Caliber 50.

Centerfire Pistol/Revolver Brands: Super-X, Supreme, Defender, Metric Calibers, Ranger, Subsonic, Dual Bond, Train & Defend, Platinum Tip, Razorback XT, Win 1911, Win 3 Gun, Forged, USA Brand, USA Forged.

Centerfire Pistol/Revolver Bullet Names: Silvertip Hollow Point (STHP), Expanding Point, Full Metal Jacket, Lead, Lead-Round Nose, Bonded, Bonded Hollow Point, Brass Enclosed Base (BEB), Jacketed Hollow Point, Jacketed Soft Point, Lead-Wad Cutter, Lead-Semi Wadcutter, Jacketed Flat Point, Platinum Tip, Dual Bond, Razorback, Full Metal Jacket Encapsulated, SXT, PDX1, Partition Gold, T-Series.

Centerfire Pistol/Revolver Calibers: 5.7x28mm, 25 Automatic (6.35mm), 30 Carbine, 30 Luger (7.65mm), 32 Smith & Wesson, 32 Smith & Wesson Long, 32 Short Colt, 32 Automatic, 357 Magnum, 38 Special, 38 Special +P, 38 Special +P+, 38 Smith & Wesson, 38 Super Automatic +P, 7.62x25 Tokarev, 9mm Luger, 9mm Luger +P, 9mm NATO, 9mm +P+, 9mm Makarov, 9x18mm, 9x21mm, 9x23 Winchester, 357 Magnum, 357 Sig, 40 Smith & Wesson, 10mm Automatic, 41 Remington Magnum, 44-40 Winchester, 44 Remington Magnum, 44 Smith & Wesson Special, 45 Glock Automatic Pistol (G.A.P.), 45 Automatic, 45 Colt, 45 Winchester Magnum, 454 Casull, 460 Smith & Wesson Magnum, 500 Smith & Wesson Magnum.

Centerfire Rifle and Pistol Proof Loads

**Product Use:** Centerfire Rifle and Pistol/Revolver Loaded Ammunition  
**U.N. Number:** UN 0012  
**U.N. Dangerous Goods Class** Explosive, 1.4S  
**Manufacturer:** Olin Corporation – Winchester Division, Inc.

**Manufacturers' Address:** 600 Powder Mill Road, East Alton, IL 62024 [www.winchester.com](http://www.winchester.com)

**Emergency Telephone Number:** US/Canada: 1-800-424-9300  
Outside US/Canada: 703-527-3887

**SDS Control Group:** 618-258-3507 (Technical Information Only)

**Olin SDS No.:** 00050.0001

**Issue Date:** 6/1/15

**Revision Date:** 01/31/2017

**Revision No.:** 4

## 2. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW: EXPLOSIVE. KEEP AWAY FROM HEAT. DO NOT SUBJECT TO MECHANICAL SHOCK. PARTICLES FROM FIRING MAY BE HARMFUL IF INHALED. DO NOT TAKE INTERNALLY.

### US DOT SYMBOLS



### CANADA (WHMIS) SYMBOLS

This Product is not subject to WHMIS

Class 6 Explosive

### GHS HAZARD SYMBOLS



**GHS Classifications:** Explosive Division 1.4  
 STOT RE Category 1  
 Reproductive Toxicity Category 1A  
 Aquatic Environment, Chronic II

**Signal Word:** Danger

**Hazard Statements:** H204: Fire or projection hazard  
 H372: Causes damage to nervous system, kidney, and hematopoietic system through prolonged or repeated exposure  
 H360: May damage fertility or the unborn child  
 H411: Toxic to aquatic life with long lasting effects

**Target organs:** Nervous, renal and hematopoietic systems

**Precautionary Statements:** P102: Keep out of reach of children  
 P210: Keep away from heat/sparks/open flame/hot surfaces  
 P250: Do not subject to shock/friction  
 P260: Do not breathe fumes  
 P264: Wash hands thoroughly after handling  
 P270: Do not eat, drink or smoke when using this product  
 P271: Use only outdoors or in a well-ventilated area  
 P273: Avoid release to the environment  
 P280: Wear protective clothing/eye protection/hearing protection  
 P370+P380: In case of fire: Evacuate area  
 P374: Fight fire with normal precautions from a reasonable distance  
 P410: Store in accordance with local regulations  
 P501: Dispose of contents in accordance with local regulations

**GHS Pictograms:** Explosive; Pictogram: exploding bomb  
 Specific Target Organ Toxicity; Pictogram Code: GHS08  
 Environment; Pictogram Code: GHS09

**EU Classifications:**

Hazard Symbols E, T, N  
 Risk Phrases R2: Risk of explosion by shock, friction, fire or other sources of ignition  
 R48: Danger of serious damage to health by prolonged exposure  
 R60: May impair fertility  
 R63: Possible risk of harm to the unborn child  
 R51/53: Toxic to aquatic organisms and many cause long-term adverse effects in the aquatic environment

Safety Phrases S2: Keep out of reach of children  
 S15: Keep away from heat  
 S20/21: When using do not eat, drink or smoke  
 S23: Do not breathe fumes  
 S39: Wear eye/face protection  
 S43: In case of fire, use Class A equipment  
 S51: Use only in well-ventilated areas  
 S61: Avoid release to the environment

**Health Hazards or Risks From Exposure**

This product is composed of a finished metal alloy cartridge which contains the various components completely sealed within. Therefore, under normal handling of this product, no exposure to any harmful materials will occur. When the ammunition is fired, a small amount of particles may be generated which may be slightly irritating to the eyes and the respiratory tract. The particles may contain trace amounts of these harmful substances:

**Lead:** Ingestion of large amounts of lead can cause abdominal pain, constipation, cramps, nausea and/or vomiting. Chronic exposure to lead can cause kidney damage, anemia, reproductive effects, developmental effects and permanent nervous system damage in humans including changes in cognitive function.

**Nitroglycerin:** Will produce dilation of blood vessels and drop in blood pressure which may affect the heart. It has also been shown to cause methemoglobinemia (cyanosis).

**Copper:** Inhalation of high concentrations of metallic copper dusts or fumes may cause nasal irritation and/or nausea, vomiting and stomach pain.

It is unlikely that the amount of particles that someone would be exposed to from firing a loaded round would be sufficient to cause any of these effects.

### 3. COMPOSITION / INFORMATION ON INGREDIENTS

Components	% By Weight	CAS Number	EINECS/ ELINCS #
Lead	0.5 - 70	7439-92-1	231-100-4
Copper	0.5 - 60	7440-50-8	231-159-6
Iron	0 - 60	7439-89-6	231-096-4
Zinc	0.1- 20	7440-66-6	231-175-3
Nitrocellulose	1 - 20	9004-70-0	Not listed
Nitroglycerin	0.2 - 2	55-63-0	200-240-8
Lead Styphnate	0 - 1	15245-44-0	239-290-0
Antimony	0 - 1.5	744036-0	231-146-5

### 4. FIRST AID MEASURES

**Eye Contact:** Immediately flush out fume or particles with large amounts of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. If eye irritation develops, call a physician at once.

**Skin Contact:** Wash skin with plenty of soap and water.

**Inhalation:** If symptoms of lung irritation occur (coughing, wheezing or breathing difficulty), remove from exposure area to fresh air immediately. If breathing has stopped, perform artificial respiration. Keep affected person warm and at rest. Get medical attention.

**Ingestion:** If ingested, immediately call a physician.

**Medical Conditions Aggravated By Exposure:**

There are no medical conditions known to be aggravated by exposure to this product in its solid form. Exposure to lead can aggravate anemia, cardiovascular and respiratory disease.

**Recommendations To Physicians:**

Remove from exposure, if possible, and treat symptoms

### 5. FIRE FIGHTING MEASURES

PROPERTY	VALUE	PROPERTY	VALUE
Explosive	Yes	Flammable	Not applicable
Combustible	Not applicable	Pyrophoric	No
Flash Point (°C):	Not applicable	Burning Rate of Material:	Not applicable
Lower Explosive Limit:	Not applicable	Autoignition Temp.:	No data
Upper Explosive Limit:	Not applicable	Flammability Classification: (defined by 29 CFR 1910.1200)	Explosive

**Unusual Fire and Explosion Hazards:**

Possible projection hazard.

**Extinguishing Media:**

Flood area with water. If no water is available, carbon dioxide, dry chemical or earth may be used.


Special Firefighting Procedures:


Do not fight fire when fire reaches cargo. Cargo may explode.

Firefighters must wear self-contained breathing apparatus (SCBA) and full protective equipment. Structural firefighters' protective clothing will only provide limited protection.

Isolate materials not yet involved in the fire. Move containers from fire area if possible; otherwise, cool with carefully applied water spray.

Prevent runoff water from entering storm drains, bodies of water, or other environmentally sensitive areas, if practical.

**NFPA RATING SYSTEM****HMIS RATING SYSTEM**

HEALTH HAZARD (BLUE)		0*	
FLAMMABILITY HAZARD (RED)		1	
PHYSICAL HAZARD (YELLOW)		2	
<b>PROTECTIVE EQUIPMENT</b>			
EYES	PPE CODE	RESPIRATORY	HEARING
	A	See Sect 8	See Sect 8

**Hazard Scale:** 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe \* = Chronic hazard

**6. ACCIDENTAL RELEASE MEASURES**

**FOR ALL TRANSPORTATION ACCIDENTS, CALL CHEM TREC AT 800-424-9300.**

Spill Response: A spill of this material will normally not require emergency response team capabilities. If, however, a large spill occurs, call 1-888-289-1911 for technical assistance.

Accidental Release Procedures: Spills of this material should be handled carefully. Do not subject materials to mechanical shock. Collect material and place in a designated, labeled waste container. See Section 13 for waste disposal.

**7. HANDLING AND STORAGE**

Precautions for Safe Handling: Use appropriate personal protective equipment (see Section 8). Workers should wash thoroughly after handling. Eating, drinking and smoking should be prohibited in areas where this material is handled and stored.

Conditions for Safe Storage: Store in accordance with local regulations. Store in original containers in a cool, dry location away from Acids, Class A & B explosives, strong oxidizers, and caustics. Avoid mechanical impact or shock and electrical discharge.

**8. EXPOSURE CONTROLS/PERSONAL PROTECTION**

Control parameters:

CAS #	CHEMICAL NAME	ACGIH TLV	OSHA PEL	INTERNATIONAL OELS
7439-92-1	Lead	0.05 mg/m <sup>3</sup>	0.05 mg/m <sup>3</sup> (total dust)	EU: 0.15 mg/m <sup>3</sup> (inhalable aerosol) Finland, Japan, Sweden, Switzerland: 0.1 mg/m <sup>3</sup>
7440-50-8	Copper	0.2 mg/m <sup>3</sup> (fume), 1 mg/m <sup>3</sup> (dusts and mists)	0.1 mg/m <sup>3</sup> (fume) 1 mg/m <sup>3</sup> (dusts and mists)	Austria, Belgium, Canada: 0.2 mg/m <sup>3</sup> (fumes), 1 mg/m <sup>3</sup> (dusts) Denmark: 1.0 mg/m <sup>3</sup> (dust and powder) Germany (MAK): 0.1 mg/m <sup>3</sup> (fume), 1 mg/m <sup>3</sup> (dusts and mists)
7439-89-6	Iron	None established	None established	None established
7440-66-6	Zinc	None established	None established	None established
9004-70-0	Nitrocellulose	None established	None established	None established
55-63-0	Nitroglycerin	0.05 ppm (0.46 mg/m <sup>3</sup> ) Skin	Ceiling – 0.2 ppm (2 mg/m <sup>3</sup> ) Skin	Denmark: 0.02 ppm (0.2 mg/m <sup>3</sup> ) Norway, Sweden: 0.03 ppm (0.3 mg/m <sup>3</sup> ) Austria, Belgium, Germany, The Netherlands, Poland, Switzerland: 0.05 ppm (0.47 mg/m <sup>3</sup> ), skin Finland, France: 0.1 ppm (0.9 mg/m <sup>3</sup> ), skin U.K.: 0.2 ppm (2 mg/m <sup>3</sup> ), skin
55-63-0	Lead Styphnate	None Established	None Established	None Established
7440-36-0	Antimony	0.5 mg/m <sup>3</sup>	0.5 mg/m <sup>3</sup>	Austria, Belgium, Denmark, France, Finland, Germany, Hungary, Netherlands, Norway, Poland, Sweden, UK: 0.5 mg/m <sup>3</sup>

Engineering Controls: Local exhaust ventilation is recommended if significant dusting occurs or fumes are generated. Otherwise, use general exhaust ventilation.

Respiratory Protection: Not normally needed. Maintain airborne contaminant concentrations below guidelines listed above. Use an appropriate approved air-purifying respirator equipped with HEPA cartridges/canisters where there is the potential for exceeding established occupational exposure limits.

Eye/Face Protection: Use safety glasses.

Hand Protection: Not normally needed

Skin Protection: Not normally needed.

Hearing Protection: Not normally needed. During firing use hearing protection.

General Hygiene: Do not eat, drink, or smoke while using this product. Wash hands thoroughly after use.

## 9. PHYSICAL AND CHEMICAL PROPERTIES

PROPERTY	VALUE	PROPERTY	VALUE
Appearance:	Cylindrical brass cartridge	Physical State:	Solid
Odor:	None	Odor Threshold:	None
Boiling Point (°F):	Not applicable	Melting point:	Not applicable
Vapor Pressure (mm Hg):	Not applicable	Freezing point:	Not applicable
Vapor Density (air = 1):	Not applicable	Bulk Density:	Not applicable
Specific gravity (g/cc):	Not applicable	Viscosity (cps):	Not applicable
pH:	Not applicable	Decomposition Temperature:	Not applicable
Solubility in Water (20 °C):	Insoluble	Evaporation Rate:	Not applicable
Volatiles, Percent by volume:	Not applicable	Octanol/water partition coefficient:	Not applicable

## 10. STABILITY AND REACTIVITY

Stability:

Possibility of Hazardous Reactions:

Incompatible Materials:

Hazardous Decomposition Products:

Conditions to Avoid:

Stable under normal temperatures and pressure.

Hazardous polymerization will not occur

Acids, Class A & B explosives, strong oxidizers, and caustics

Nitrogen oxides, carbon monoxide, lead oxides, carbon dioxide, lead dust/fume

Contact with incompatible materials. Physical damage to containers; cartridges may detonate if case is punctured.

## 11. TOXICOLOGICAL INFORMATION

Potential Routes of Entry: Inhalation, Skin, and by Ingestion.

The physical nature of this product makes absorption from any route unlikely. A small amount of inhalable particles may be created when cartridge is fired.

Effects Of Acute Exposure:

PRODUCT		SELECTED COMPONENTS					
		Lead	Antimony	Copper	Nitroglycerin	Nitrocellulose	Zinc
Inhalation LC <sub>50</sub>	Particles generated from firing may be slightly toxic	No data	No data	No data	No data	No data	No data
Skin Contact LD <sub>50</sub>	Skin absorption unlikely	No data	No data	375 mg/kg, sc (rabbit)	> 280 mg/kg (rabbit)	No data	No data
Ingestion LD <sub>50</sub>	Ingestion unlikely	763 mg/kg (rat)	No data	3.5 mg/kg, ip (mouse)	105 mg/kg (rat)	> 5 g/kg (rat)	No data
Irritation	Particles generated from firing may be slightly irritating to the eyes	Not irritating	No data	Respiratory irritant	Mild eye and skin irritant	No data	Eye irritant
Sensitization	Sensitization to this Product has not been reported	No data	No data	No data	No data	No data	No data

Other Adverse Effects:

Target Organ Toxicity:

No reported target organ toxicity from this product. Lead has caused nervous system, kidney and hematopoietic system damage in humans and laboratory animals.

Reproductive Toxicity:

This product is not known or reported to cause reproductive effects. Lead has been shown to reduce male reproductive function in humans and laboratory animals.

Teratogenicity (Birth Defects):

This product is not known or reported to cause developmental toxicity. Lead has been shown to affect fetal development including birth defects.

Mutagenicity:

This product is not known or reported to be mutagenic. Lead has been shown to be mutagenic in several *in vitro* assays.

Carcinogenicity:

This product is not listed as a carcinogen by OSHA, NTP or IARC. IARC lists lead as possibly carcinogenic to humans, group 2B.

**12. ECOLOGICAL INFORMATION**Environmental Effects:

PRODUCT: Product has not been tested for environmental properties. Lead shot has been shown to be toxic to aquatic species.

## COMPONENTS:

Copper:

Copper concentrations from 0.1 to 1.0 mg/l have been found to be not toxic for most fish. However, concentrations of 0.015 to 3.0 mg/l have been reported as toxic, particularly in soft water to many kinds of fish, crustacea, mollusks, insects, and plankton.

Lead:

LC<sub>50</sub> (48 hrs.) to bluegill is reported to be 2-5 mg/l. Lead is toxic to waterfowl.

Nitrocellulose:

LC<sub>50</sub> > 1000 mg/l to fish, invertebrates, and algae.

Nitroglycerin:

LC<sub>50</sub> = 1.228 mg/l to Bluegill, (96 hour, static)

Zinc:

The following concentrations of zinc have been reported as lethal to fish: 0.13 mg/l, for 12 – 24 hours to Rainbow trout fingerlings; 1.9 – 3.6 mg/l, 6 hr TLM (soft water, 30°C) to Bluegill Sunfish; 4 mg/l, 3 days (hard water) to Rainbow trout; 1 mg/l, 24 hours (soft water) to Sticklebacks.

The presence of copper appears to have a synergistic effect on the toxicity of zinc towards fish.

Environmental Fate:

## MOBILITY:

Dissolved lead from degraded bullets may migrate through soil.

## PERSISTENCE/DEGRADABILITY:

Not biodegradable. Bullets may fragment and decompose in soil leading to accumulation of lead.

## BIOACCUMULATION:

No data

**13. DISPOSAL CONSIDERATIONS**

Care must be taken to prevent environmental contamination from the use of this material. The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding the treatment, storage and disposal for hazardous and nonhazardous wastes.

**14. TRANSPORT INFORMATION**Regulatory Information for US DOT, IATA, IMO, and ADR:

Proper Shipping Name: Cartridges, small arms (other than blanks)

Hazard Class Number and Description: Explosive 1.4S

UN Identification Number: UN 0012

Packing Group: PGI

DOT Label(s) Required: Label Not Required for ground shipment.

Marine Pollutant: None of the ingredients are classified by the DOT as a Marine Pollutant (as defined by 49 CFR 172.101, Appendix B)

Additional Information:

North American Emergency Response Guidebook Number: 114 Most Current Version is 2012

U.S. DEPARTMENT OF TRANSPORTATION SHIPPING REGULATIONS: This product is classified as dangerous goods under 49 CFR 172.101. Note: May be reclassified domestically as an ORM-D or Limited Quantity if packaged in accordance with 49 CFR 173.63.

TRANSPORT CANADA, TRANSPORTATION OF DANGEROUS GOODS REGULATIONS: This product is classified as Dangerous Goods (If packaged appropriately this product may ship as a Limited Quantity).



INTERNATIONAL AIR TRANSPORT ASSOCIATION (IATA): This product is classified as Dangerous Goods.

INTERNATIONAL MARITIME ORGANIZATION (IMO) DESIGNATION: This product is classified as Dangerous Goods (If packaged appropriately this product may ship as a Limited Quantity).

EUROPEAN AGREEMENT CONCERNING THE INTERNATIONAL CARRIAGE OF DANGEROUS GOODS BY ROAD (ADR): This product is classified by the United Nations Economic Commission for Europe to be dangerous goods. (If packaged appropriately this product may ship as a Limited Quantity).

## 15. REGULATORY INFORMATION

### US FEDERAL

TSCA	The components of this product are listed on the Toxic Substance Control Act inventory.				
CERCLA:	Copper, R.Q.* = 5000 lbs.; Zinc, R.Q. = 1000 lbs.; Lead, R.Q. = 10 lbs.; Nitroglycerin, R.Q. = 10 lbs (No reporting is required if diameter of the pieces of metal is equal to or exceeds 100 micrometers (0.004 inches).				
SARA 313:	Copper, Lead and Lead compounds, Nitroglycerin, Zinc (fume or dust)				
SARA 311/312:	<u>Health:</u>	Acute - No Chronic - Yes	<u>Fire:</u> No	<u>Reactivity:</u> None	<u>Release of Pressure:</u> Yes
SARA 302 EHS List:	None of the components of this product are listed.				

\*RQ = Reportable Quantity

### STATE RIGHT-TO-KNOW STATUS

Component	California	New Jersey	Pennsylvania	Massachusetts	Michigan
Lead	X	X	X	X	X
Copper	Not listed	X	X	X	X
Iron	Not listed	Not listed	Not listed	Not listed	Not listed
Zinc	Not listed	X	Not listed	X	X
Nitrocellulose	Not listed	X	X	X	Not listed
Nitroglycerin	Not listed	X	X	X	Not listed
Lead Styphnate	X	Not Listed	Not Listed	X	Not Listed
Antimony	Not listed	X	X	X	X

### CALIFORNIA SAFE DRINKING WATER AND TOXIC ENFORCEMENT ACT (PROPOSITION 65)

Warning! This product contains detectable amounts of a chemical known to the State of California to cause cancer and/or birth defects or other reproductive harm.

### GHS CLASSIFICATION

Explosive Division 1.4  
STOT RE Category 1  
Reproductive Toxicity Category 1A  
Aquatic Environment, Chronic II

### EUROPEAN REGULATIONS

All chemical components listed on EINECS

#### Hazard Classification

Danger Symbols: E, T, N  
Risk Phrases: R2, R48, R60, R63, R51/53  
Safety Phrases: S2, S15, S20/21, S22, S39, S51, S61

German WGK Classification: Not known.

---

**CANADIAN REGULATIONS**

DSL/NDSL Inventory: The components of this product are on the DSL

IDL: Lead, Copper

CEPA PRIORITIES LIST: None of the components of this product are on the CEPA First Priorities Substances List.

WHMIS: This product is not subject to WHMIS. It is regulated as a Class 6 Explosive in Canada.

**JAPANESE REGULATIONS**

Existing National Inventory of Chemical Substances (ENCS): The components of this product are Listed

Japanese MITI Status: Product components are not listed as Class I or II Specified Chemical Substances

**OTHER INTERNATIONAL CHEMICAL INVENTORIES**

Swiss Giftlist List of Toxic Substances:	All Components Listed
Australian Inventory (AICS):	All Components Listed
Asia – Pac Inventory:	All Components Listed
Korean Existing Chemicals List (ECL):	All Components Listed
Philippines Inventory of Chemicals (PICCS):	All Components Listed

**16. OTHER INFORMATION**

*REVISIONS:* Iron ingredient added – 11/24/15; Iron Max. % increased to 60 – 12/18/15; Antimony ingredient added -11/17/15; 04

*PREPARED BY:* Olin Corporation

*OTHER:* Additional information available from: [www.winchester.com](http://www.winchester.com)

**NOTICE:** THE INFORMATION IN THIS SDS SHOULD BE PROVIDED TO ALL WHO WILL USE, HANDLE, STORE, TRANSPORT, OR OTHERWISE BE EXPOSED TO THIS PRODUCT. THIS INFORMATION HAS BEEN PREPARED FOR THE GUIDANCE OF PLANT ENGINEERING, OPERATIONS AND MANAGEMENT AND FOR PERSONS WORKING WITH OR HANDLING THIS PRODUCT. OLIN BELIEVES THIS INFORMATION TO BE RELIABLE AND CURRENT AS OF THE DATE OF PUBLICATION, BUT MAKES NO WARRANTY THAT IT IS.