

Prepared to U.S. OSHA, CMA, ANSI, Canadian WHMIS, Australian WorkSafe, Japanese Standard JIS Z 7250:2000, and EU REACH Regulations

1. PRODUCT AND COMPANY IDENTIFICATION

Product Name: **CARTRIDGES, CENTERFIRE BLANK**
CAS Number: Mixture – Metal Alloy
Synonyms: Centerfire Blanks, Super X Centerfire Blank Cartridge, 32 Smith & Wesson, 38 Special, Cartridge 5.56 M200 Blank
Product Use: Ammunition – Centerfire Blank Loads
U.N. Number: UN 0014
U.N. Dangerous Goods Class Explosive, 1.4S
Manufacturer: Olin Corporation – Winchester Division, Inc.
Manufacturers' Address: 600 Powder Mill Road, East Alton, IL 62024 www.winchester.com
Emergency Telephone Number: US/Canada: 1-800-424-9300
Outside US/Canada: 703-527-3887
SDS Control Group: 618-258-3507 (Technical Information Only)

Olin SDS No.: 00052.0001

Issue Date: 6/1/15

Revision Date: 01/31/2017

Revision Date: 2

2. HAZARDS IDENTIFICATION

EMERGENCY OVERVIEW: EXPLOSIVE. KEEP AWAY FROM HEAT. DO NOT SUBJECT TO MECHANICAL SHOCK. PARTICLES FROM FIRING MAY BE HARMFUL IF INHALED. DO NOT TAKE INTERNALLY.

US DOT SYMBOLS



CANADA (WHMIS) SYMBOLS

This Product is not subject to WHMIS

Class 6 Explosive

GHS HAZARD SYMBOLS





| | |
|---|--|
| <u>GHS Classifications:</u> | Explosive Division 1.4 STOT RE Category 1 Reproductive Toxicity Category 1A Aquatic Environment, Chronic II |
| <u>Signal Word:</u> | Danger |
| <u>Hazard Statements:</u> | H204: Fire or projection hazard H372: Causes damage to nervous system, kidney, and hematopoietic system through prolonged or repeated exposure H360: May damage fertility or the unborn child H411: Toxic to aquatic life with long lasting effects |
| <u>Target organs:</u> | Nervous, renal and hematopoietic systems |
| <u>Precautionary Statements:</u> | P102: Keep out of reach of children P210: Keep away from heat/sparks/open flame/hot surfaces P250: Do not subject to shock/friction P260: Do not breathe dust/fume/gas/mist/vapors/spray P264: Wash hands thoroughly after handling P270: Do not eat, drink or smoke when using this product P271: Use only outdoors or in a well-ventilated area P273: Avoid release to the environment P280: Wear protective gloves/protective clothing/eye protection/face protection |
| <u>GHS Pictograms:</u> | Explosive; Pictogram: exploding bomb Specific Target Organ Toxicity; Pictogram Code: GHS08 Environment; Pictogram Code: GHS09 |
| <u>EU Classifications:</u> | |
| Hazard Symbols | E, T, N |
| Risk Phrases | R2: Risk of explosion by shock, friction, fire or other sources of ignition R48: Danger of serious damage to health by prolonged exposure R60: May impair fertility R63: Possible risk of harm to the unborn child R51/53: Toxic to aquatic organisms and may cause long-term adverse effects in the aquatic environment |
| Safety Phrases | S2: Keep out of reach of children S15: Keep away from heat S20/21: When using do not eat, drink or smoke S22: Do not breathe dust S39: Wear eye/face protection S51: Use only in well-ventilated areas S61: Avoid release to the environment |

Health Hazards or Risks From Exposure

This product is composed of a finished metal alloy cartridge which contains the various components completely sealed within. Therefore, under normal handling of this product, no exposure to any harmful materials will occur. When the ammunition is fired, a small amount of particles may be generated which may be slightly irritating to the eyes and the respiratory tract. The particles may contain trace amounts of these harmful substances:

Lead: Ingestion of large amounts of lead can cause abdominal pain, constipation, cramps, nausea and/or vomiting. Chronic exposure to lead can cause kidney damage, anemia, reproductive effects, developmental effects and permanent nervous system damage in humans including changes in cognitive function.

Nitroglycerin: Will produce dilation of blood vessels and drop in blood pressure which may affect the heart. It has also been shown to cause methemoglobinemia (cyanosis).

Dibutyl phthalate: May cause harm to the unborn child based on animal experiments. Possible risk of impaired fertility.

Copper: Inhalation of high concentrations of metallic copper dusts or fumes may cause nasal irritation and/or nausea, vomiting and stomach pain.

It is unlikely that the amount of particles that someone would be exposed to from firing a loaded round would be sufficient to cause any of these effects.

3. COMPOSITION / INFORMATION ON INGREDIENTS

| Components | % By Weight | CAS Number | EINECS/ ELINCS # |
|-------------------|-------------|------------|------------------|
| Copper | 40 - 75 | 7440-50-8 | 231-159-6 |
| Zinc | 20 - 35 | 7440-66-6 | 231-175-3 |
| Potassium Nitrate | 0 - 3 | 7757-79-1 | 231-818-8 |
| Charcoal | 0 - 14 | 16291-96-6 | 240-383-3 |
| Sulfur | 0 - 3 | 7704-34-9 | 231-722-6 |
| Silicon Dioxide | 0 - 1 | 7631-86-9 | 231-545-4 |
| Nitrocellulose | 2 - 17 | 9004-70-0 | Polymer |
| Nitroglycerin | 1 - 3 | 55-63-0 | 200 - 240 -8 |
| Dibutyl phthalate | 0.2 - 3 | 84-74-2 | 201-55-74 |
| Lead styphnate | 0.1 - 1 | 15245-44-0 | 239-290-0 |

4. FIRST AID MEASURES

Eye Contact: Immediately flush out fume or particles with large amounts of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. If eye irritation develops, call a physician at once.

Skin Contact: Wash skin with plenty of soap and water.

Inhalation: If symptoms of lung irritation occur (coughing, wheezing or breathing difficulty), remove from exposure area to fresh air immediately. If breathing has stopped, perform artificial respiration. Keep affected person warm and at rest. Get medical attention.

Ingestion: If ingested, immediately call a physician.

Medical Conditions Aggravated By Exposure:

There are no medical conditions known to be aggravated by exposure to this product in its solid form. Exposure to lead can aggravate anemia, cardiovascular and respiratory disease.

Recommendations To Physicians:

Remove from exposure, if possible, and treat symptoms

5. FIRE FIGHTING MEASURES

| PROPERTY | VALUE | PROPERTY | VALUE |
|------------------------|----------------|--|----------------|
| Explosive | Yes | Flammable | Not applicable |
| Combustible | Not applicable | Pyrophoric | No |
| Flash Point (°C): | Not applicable | Burning Rate of Material: | Not applicable |
| Lower Explosive Limit: | Not applicable | Autoignition Temp.: | No data |
| Upper Explosive Limit: | Not applicable | Flammability Classification: (defined by 29 CFR 1910.1200) | Explosive |

Unusual Fire and Explosion Hazards:

Extinguishing Media:

Special Firefighting Procedures:

Possible projection hazard.

Flood area with water. If no water is available, carbon dioxide, dry chemical or earth may be used.


Do not fight fire when fire reaches cargo. Cargo may explode.

Firefighters must wear self-contained breathing apparatus (SCBA) and full protective equipment. Structural firefighters' protective clothing will only provide limited protection.


Isolate materials not yet involved in the fire. Move containers from fire area if possible; otherwise, cool with carefully applied water spray.

Prevent runoff water from entering storm drains, bodies of water, or other environmentally sensitive areas, if practical.

NFPA RATING SYSTEM



HMIS RATING SYSTEM

| | | | |
|---|----------|-------------|------------|
| HEALTH HAZARD (BLUE) | | 0* | |
| FLAMMABILITY HAZARD (RED) | | 1 | |
| PHYSICAL HAZARD (YELLOW) | | 2 | |
| PROTECTIVE EQUIPMENT | | | |
| EYES | PPE CODE | RESPIRATORY | HEARING |
|  | A | See Sect 8 | See Sect 8 |

Hazard Scale: 0 = Minimal 1 = Slight 2 = Moderate 3 = Serious 4 = Severe * = Chronic hazard

6. ACCIDENTAL RELEASE MEASURES

FOR ALL TRANSPORTATION ACCIDENTS, CALL CHEM TREC AT 800-424-9300.

Spill Response: A spill of this material will normally not require emergency response team capabilities. If, however, a large spill occurs, call 1-888-289-1911 for technical assistance.

Accidental Release Procedures: Spills of this material should be handled carefully. Do not subject materials to mechanical shock. Collect material and place in a designated, labeled waste container. See Section 13 for waste disposal.

7. HANDLING AND STORAGE

Precautions for Safe Handling: Use appropriate personal protective equipment (see Section 8). Workers should wash hands thoroughly after handling. Eating, drinking and smoking should be prohibited in areas where this material is handled and stored.

Conditions for Safe Storage: Store in accordance with local regulations. Store in original containers in a cool, dry location away from Acids, Class A & B explosives, strong oxidizers, and caustics. Avoid mechanical impact or shock and electrical discharge.

8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Control parameters:

| CAS # | CHEMICAL NAME | ACGIH TLV | OSHA PEL | INTERNATIONAL OELS |
|------------|-------------------|---|---|---|
| 7440-50-8 | Copper | 0.2 mg/m ³ (fume), 1 mg/m ³ (dusts and mists) | 0.1 mg/m ³ (fume) 1 mg/m ³ (dusts and mists) | Austria, Belgium, Canada: 0.2 mg/m ³ (fumes), 1 mg/m ³ (dusts) Denmark: 1.0 mg/m ³ (dust and powder) Germany (MAK): 0.1 mg/m ³ (fume), 1 mg/m ³ (dusts and mists) |
| 7440-66-6 | Zinc | None established | None established | None established |
| 9004-70-0 | Nitrocellulose | None established | None established | None established |
| 55-63-0 | Nitroglycerin | 0.05 ppm (0.46 mg/m ³) Skin | Ceiling – 0.2 ppm (2 mg/m ³) Skin | Denmark: 0.02 ppm (0.2 mg/m ³) Norway, Sweden: 0.03 ppm (0.3 mg/m ³) Austria, Belgium, Germany, The Netherlands, Poland, Switzerland: 0.05 ppm (0.47 mg/m ³), skin Finland, France: 0.1 ppm (0.9 mg/m ³), skin U.K.: 0.2 ppm (2 mg/m ³), skin |
| 84-74-2 | Dibutyl phthalate | 5 mg/m ³ | 5 mg/m ³ | Belgium, Denmark, France, Netherlands, Switzerland, U.K.: 5 mg/m ³ Sweden: 3 mg/m ³ |
| 15245-44-0 | Lead styphnate | None established | None established | None established |

Engineering Controls: Local exhaust ventilation is recommended if significant dusting occurs or fumes are generated. Otherwise, use general exhaust ventilation.

Respiratory Protection: Not normally needed. Maintain airborne contaminant concentrations below guidelines listed above. Use an appropriate approved air-purifying respirator equipped with HEPA cartridges/canisters where there is the potential for exceeding established occupational exposure limits.

Eye/Face Protection: Use safety glasses.

Hand Protection: Not normally needed

Skin Protection: Not normally needed.

Hearing Protection: Not normally needed. During firing use hearing protection.

General Hygiene: Do not eat, drink, or smoke while using this product. Wash hands thoroughly after use.

9. PHYSICAL AND CHEMICAL PROPERTIES

| PROPERTY | VALUE | PROPERTY | VALUE |
|-------------------------|-----------------------------|-----------------|----------------|
| Appearance: | Cylindrical brass cartridge | Physical State: | Solid |
| Odor: | None | Odor Threshold: | None |
| Boiling Point (°F): | Not applicable | Melting point: | Not applicable |
| Vapor Pressure (mm Hg): | Not applicable | Freezing point: | Not applicable |

| PROPERTY | VALUE | PROPERTY | VALUE |
|-------------------------------|----------------|--------------------------------------|----------------|
| Vapor Density (air = 1): | Not applicable | Bulk Density | Not applicable |
| Specific gravity (g/cc): | Not applicable | Viscosity (cps): | Not applicable |
| pH: | Not applicable | Decomposition Temperature: | Not applicable |
| Solubility in Water (20 °C): | Insoluble | Evaporation Rate: | Not applicable |
| Volatiles, Percent by volume: | Not applicable | Octanol/water partition coefficient: | Not applicable |

10. STABILITY AND REACTIVITY

Stability:

Stable under normal temperatures and pressure.

Possibility of Hazardous Reactions:

Hazardous polymerization will not occur

Incompatible Materials:

Acids, Class A & B explosives, strong oxidizers, and caustics

Hazardous Decomposition Products:

Nitrogen oxides, carbon monoxide, lead oxides, carbon dioxide, lead dust/fume

Conditions to Avoid:

Contact with incompatible materials. Physical damage to containers; cartridges may detonate if case is punctured.

11. TOXICOLOGICAL INFORMATION

Potential Routes of Entry: Inhalation, Skin, and by Ingestion.

The physical nature of this product makes absorption from any route unlikely. A small amount of inhalable particles may be created when cartridge is fired.

Effects Of Acute Exposure:

| PRODUCT | | COMPONENTS | | | | | |
|-------------------------------|--|----------------|----------------------------|------------------------------|------------------------|--------------|----------------|
| | | Lead styphnate | Nitroglycerin | Dibutyl phthalate | Copper | Zinc | Nitrocellulose |
| Inhalation LC ₅₀ | Particles generated from firing may be slightly toxic | No data | No data | 4250 mg/m ³ (rat) | No data | No data | No data |
| Skin Contact LD ₅₀ | Skin absorption unlikely | No data | > 280 mg/kg (rabbit) | >20 ml/kg (rabbit) | 375 mg/kg, sc (rabbit) | No data | No data |
| Ingestion LD ₅₀ | Ingestion unlikely | No data | 105 mg/kg (rat) | 8 g/kg (rat) | 3.5 mg/kg, ip (mouse) | No data | > 5 g/kg (rat) |
| Irritation | Particles generated from firing may be slightly irritating to the eyes | No data | Mild eye and skin irritant | No data | Respiratory irritant | Eye irritant | No data |
| Sensitization | Sensitization to this Product has not been reported | No data | No data | No data | No data | No data | No data |

Other Adverse Effects:

Target Organ Toxicity:

No reported target organ toxicity from this product. Lead has caused nervous system, kidney and hematopoietic system damage in humans and laboratory animals.

Reproductive Toxicity:

This product is not known or reported to cause reproductive effects. Lead has been shown to reduce male reproductive function in humans and laboratory animals. Dibutyl phthalate has caused adverse reproductive effects in animal studies.

Teratogenicity (Birth Defects):

This product is not known or reported to cause developmental toxicity. Lead has been shown to affect fetal development including birth defects. Dibutyl phthalate has also been reported to cause adverse developmental effects in animal studies.

Mutagenicity:

This product is not known or reported to be mutagenic. Lead has been shown to be mutagenic in several *in vitro* assays.

Carcinogenicity:

This product is not listed as a carcinogen by OSHA, NTP or IARC. IARC lists lead as possibly carcinogenic to humans, group 2B.

12. ECOLOGICAL INFORMATION

Environmental Effects:

PRODUCT: Product has not been tested for environmental properties.

COMPONENTS:

Copper: Copper concentrations from 0.1 to 1.0 mg/l have been found to be not toxic for most fish. However, concentrations of 0.015 to 3.0 mg/l have been reported as toxic, particularly in soft water to many kinds of fish, crustacea, mollusks, insects, and plankton.

Lead: LC₅₀ (48 hrs.) to bluegill is reported to be 2-5 mg/l. Lead is toxic to waterfowl.

Nitrocellulose: LC₅₀ > 1000 mg/l to fish, invertebrates, and algae.

Nitroglycerin: LC₅₀ = 1.228 mg/l to Bluegill, (96 hour, static)

Zinc: The following concentrations of zinc have been reported as lethal to fish: 0.13 mg/l, for 12 – 24 hours to Rainbow trout fingerlings; 1.9 – 3.6 mg/l, 6 hr TLM (soft water, 30°C) to Bluegill Sunfish; 4 mg/l, 3 days (hard water) to Rainbow trout; 1 mg/l, 24 hours (soft water) to Sticklebacks.
The presence of copper appears to have a synergistic effect on the toxicity of zinc towards fish.

Environmental Fate:

MOBILITY: Dissolved lead may migrate through soil.
PERSISTENCE/DEGRADABILITY: Not biodegradable.
BIOACCUMULATION: No data

13. DISPOSAL CONSIDERATIONS

Care must be taken to prevent environmental contamination from the use of this material. The user of this material has the responsibility to dispose of unused material, residues and containers in compliance with all relevant local, state and federal laws and regulations regarding the treatment, storage and disposal for hazardous and nonhazardous wastes.

14. TRANSPORT INFORMATION

Regulatory Information for US DOT, IATA, IMO, and ADR:

Proper Shipping Name: Cartridges, small arms, blanks

Hazard Class Number and Description: Explosive 1.4S

UN Identification Number: UN 0014

Packing Group: PGI

DOT Label(s) Required: Explosive 1.4

Marine Pollutant: None of the ingredients are classified by the DOT as a Marine Pollutant (as defined by 49 CFR 172.101, Appendix B)

Additional Information:

North American Emergency Response Guidebook Number (2004): 114

U.S. DEPARTMENT OF TRANSPORTATION SHIPPING REGULATIONS: This product is classified as dangerous goods under 49 CFR 172.101. Note: May be reclassified domestically as an ORM-D if packaged as a consumer commodity per 49 CFR 173.

TRANSPORT CANADA, TRANSPORTATION OF DANGEROUS GOODS REGULATIONS: This product is classified as Dangerous Goods.

INTERNATIONAL AIR TRANSPORT ASSOCIATION (IATA): This product is classified as Dangerous Goods.

INTERNATIONAL MARITIME ORGANIZATION (IMO) DESIGNATION: This product is classified as Dangerous Goods.

EUROPEAN AGREEMENT CONCERNING THE INTERNATIONAL CARRIAGE OF DANGEROUS GOODS BY ROAD (ADR): This product is classified by the United Nations Economic Commission for Europe to be dangerous goods.

15. REGULATORY INFORMATION

US FEDERAL

| | | | | | |
|--------------------|--|----------------------------|-----------------|------------------------|--------------------------------|
| TSCA | The components of this product are listed on the Toxic Substance Control Act inventory. | | | | |
| CERCLA: | Copper, R.Q.* = 5000 lbs.; Zinc, R.Q. = 1000 lbs.; Nitroglycerin, R.Q. = 10 lbs; Dibutyl phthalate, R.Q. = 10 lbs.; Lead, R.Q. = 10 lbs. (No reporting is required if diameter of the pieces of metal is equal to or exceeds 100 micrometers (0.004 inches). | | | | |
| SARA 313: | Copper, Dibutyl phthalate, Lead and Lead compounds, Nitroglycerin, Zinc (fume or dust) | | | | |
| SARA 311/312: | <u>Health:</u> | Acute – No Chronic - No | <u>Fire:</u> No | <u>Reactivity:</u> Yes | <u>Release of Pressure:</u> No |
| SARA 302 EHS List: | None of the components of this product are listed. | | | | |

*RQ = Reportable Quantity

STATE RIGHT-TO-KNOW STATUS

| Component | California | New Jersey | Pennsylvania | Massachusetts | Michigan |
|-------------------|------------|------------|--------------|---------------|------------|
| Copper | Not listed | X | X | X | X |
| Zinc | Not listed | X | Not listed | X | X |
| Nitrocellulose | Not listed | X | X | X | Not listed |
| Nitroglycerin | Not listed | X | X | X | Not listed |
| Dibutyl phthalate | Not listed | X | X | X | X |
| Lead styphnate | X | Not listed | Not listed | X | Not listed |

CALIFORNIA SAFE DRINKING WATER AND TOXIC ENFORCEMENT ACT (PROPOSITION 65)

Warning! This product contains detectable amounts of a chemical known to the State of California to cause cancer and/or birth defects or other reproductive harm.

GHS CLASSIFICATION

Explosive Division 1.4
 STOT RE Category 1
 Reproductive Toxicity Category 1A
 Aquatic Environment, Chronic II

EUROPEAN REGULATIONS

Hazard Classification

Danger Symbols: E, T, N

Risk Phrases: R2, R48, R60, R63, R51/53

Safety Phrases: S2, S15, S20/21, S22, S39, S51, S61

German WGK Classification: Not known.

CANADIAN REGULATIONS

DSL/NDSL Inventory: The components of this product are on the DSL

IDL: Copper, Dibutyl phthalate, Lead

CEPA PRIORITIES LIST: Dibutyl phthalate

WHMIS: This product is not subject to WHMIS. It is regulated as a Class 6 Explosive in Canada.

JAPANESE REGULATIONS

Existing National Inventory of Chemical Substances (ENCS): The components of this product are listed

Japanese Priority Assessment Chemical Substances: None of the components of this product are listed

OTHER INTERNATIONAL CHEMICAL INVENTORIES

Swiss Giftlist List of Toxic Substances: All Components Listed

Australian Inventory (AICS): All Components Listed

16. OTHER INFORMATION

REVISIONS: 02

PREPARED BY: Olin Corporation

OTHER: Additional information available from: www.winchester.com

NOTICE: THE INFORMATION IN THIS SDS SHOULD BE PROVIDED TO ALL WHO WILL USE, HANDLE, STORE, TRANSPORT, OR OTHERWISE BE EXPOSED TO THIS PRODUCT. THIS INFORMATION HAS BEEN PREPARED FOR THE GUIDANCE OF PLANT ENGINEERING, OPERATIONS AND MANAGEMENT AND FOR PERSONS WORKING WITH OR HANDLING THIS PRODUCT. OLIN BELIEVES THIS INFORMATION TO BE RELIABLE AND CURRENT AS OF THE DATE OF PUBLICATION, BUT MAKES NO WARRANTY THAT IT IS.